

भाकृ**अनुप-प्याज एवं लहुसुनअनुसंधान निदेशालय**

राजगुरुनगर,पुणे-४१०५०५महाराष्ट्र ICAR-DIRECTORATE OF ONION AND GARLIC RESEARCH



Rajgurunagar, Pune - 410 505, Maharashtra

Phone (02135) 222026, 222697, Fax (02135) 224056 Email:director.dogr@icar.gov.in GST No. 27AAAAI1830P5ZF

Note: All the communication must be addressed to the Director by designation, ICAR-DIRECTORATE OF ONION AND GARLIC RESEARCH, RAJGURUNAGAR PUNE - 410 505 (The quotation is also being uploaded on the DOGR website www.dogr.res.in and the other prospective bidders can make use of the document down loaded from the website.

F.No. 15-356/SP/ABI/Misc/DOGR/2021/2862 to 2864 Date: 24/03/2023

To.

Seeking Limited Quotation for carryout work for construction of Custom hiring centre shade under ABI Project -regarding

Sir,

Please send your lowest quotation as per terms and conditions mentioned below for carryout following work :-

Sr.No.	Product Required	Delivery place		
1.	Construction of Custom hiring centre shade	ICAR-DOGR,Rajgurunagar Pune.,		

Quotation should be in sealed covers superscribed as "Quotation for Carryout work for construction of custom hiring centre shade" and may be send by registered post/Courier/By Hand in the name of "The Director, ICAR-Directorate of Onion & Garlic Research, Rajgurunagar "on or before extended period upto 27.03.2023 on with revised specification. The Quotation without above superscription on the cover will not be considered. The quotations received after due date and time shall be summarily rejected.

TERMS AND CONDITION

- Rates of GST or any other charges etc will be paid extra
- 2. Quotations are not acceptable through Fax, e.mail, Telefax.
- 3. Rate must be quoted FOR destination at ICAR-DOGR, Rajgurunagar, Pune
- TDS and statutory taxes will be deducted as per rule if applicable.

Contd..2

- 5. The firm submitting Tenders must have valid VAT/Sales Tax/Service Tax/Pan/TAN/GST etc. and copy of the same may be enclosed with their quotations, failing which their bid shall be treated as non-responsive and rejected.
- 6. The bidders may submit Bid securing declaration form. In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners to the joint Venture that submits the bid.
- 7. If quoted price is below Rs. 1.00 Lakhs, then EMD need not be submitted.
- 8. The successful bidder will have to deposit 3% Security deposit of the total value of Work order within 10 days from issue of letter. Performance Security/Security Deposit will be submitted in the form of Account payee Demand Draft/Fixed Deposit receipt/Bank Guarantee from a Commercial bank/Online payment in favour of "ICAR Unit-DOGR", Rajgurunagar having validity for a period of 2 months after date of issue of work order. The same will be refunded after 60 days from the date of completion of warranty period. The performance security will be forfeited if the firm fails to honour the orders of the Directorate. No interest will be paid by ICAR-DOGR on the Security Deposit.
- 9. <u>Award of Contract:</u> The vendors whose quotation are Technically found in order and whose rates are found to be lowest shall be awarded the contract
- 10 The successful bidder to whom work order is awarded will have to sign contract on Non-judicial paper of Rs. 100/-
- 11. The Vendor shall have to submit TECHNICAL SPECIFICATION as per Annexure-I, FINANCIAL BID as per Annexure-II, CERTIFICATE ABOUT NON BLACK LISTING as per Annexure-III, Bid Securing Declaration form as per Annexure-IV and CHECK LIST as per Annexure V failing which quotation shall be rejected.
- 12. Quotations should be valid for 90 days. Validity with less than 90 days shall not be accepted and shall be treated as Non-responsive.
- 13. Work should be made within 30 days after receipt of confirm work order from this office.
- 14. Payment shall be released only after successful completion of work. For delayed work Liquidated Damages @ 0.5% per week of the contract value (Maximum upto 10%) shall be recovered from the party's final bill. No advance payment shall be granted.
- 15. Cutting/overwriting should be duly signed and attested by the appropriate authority of the firm.
- 16. The quoted rate should not be more than MRP price and certificate to this effect should be recorded by the vendor.
- 17. Since payment is to be made through RTGS/PFMS, the details of Bank Account, IFC Code, Name of the Bank and Branch may be furnished alongwith their quotation.
- 18. The Director ICAR reserved the right to accept or reject any or all quotations without assigns any reason thereof.
- 19 In case of any dispute Director, ICAR-DOGR will appoint an Arbitrator and whose decision shall be final and binding on both the parties.

20. In Case of any legal issue, the court of jurisdiction will be the Court at Rajgurunagar.

Yours Raithfully

I/C Administrative Officer

JP1'



भाकृ**अनु**प-**प्याज एवं लह्सुनअनुसंधान निदेशालय**

राजगुरुनगर,पुणे-४१०५०५महाराष्ट्र ICAR-DIRECTORATE OF ONION AND GARLIC RESEARCH



$\label{eq:Rajgurunagar} Rajgurunagar, \ Pune-410\ 505, Maharashtra \\ \ Phone\ (02135)\ 222026,\ 222697,\ Fax\ (02135)\ 224056\ Email: \ director.dogr@icar.gov.in$

GST No. 27AAAAI1830P5ZF

Annexure-l

TECHNICAL SPECIFICATION

Ilame of items :- Revised specification for Construction of Custom hiring centre shade under ABI **Project**

S. No.	Description	Qty	Unit
1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:		SQM
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level (a)1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)		cum
3	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement		cum
4			KG
5	Centering and shuttering including strutting, propping etc. and removal of form work for :(A)Columns, piers, abutments, pillars, posts and struts		SQM
6	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.		CUM
7	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.		kg
8	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required (a)In stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required, all complete		kg

Contd..4

9	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. (a) M.S. tube	1333.00	kg
10	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should besupplied in single length upto 12 metre or as desired by Engineer in-charge. The sheet shall be fixed using self drilling /self tappingscrews of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost ofpurlins, rafters and trusses and including cutting to size and shape wherever required	174.85	sqm
11	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete.(a) Ridges plain (500 - 600mm)	20.00	metre

I/C Administrative Officer



भाकृअनुप-प्याज एवं लह्सुन अनुसंधान निदेशालय राजगुरुनगर,पुणे-४१०५०५महाराष्ट्र ICAR-DIRECTORATE OF ONION AND GARLIC RESEARCH



Rajgurunagar, Pune – 410 505, Maharashtra
Phone (02135) 222026, 222697, Fax (02135) 224056 Email:director@dogr.res.in
GST No. 27AAAAI1830P5ZF

ANNEXURE - II

FINANCIAL BID

(To be returned by Bidders along with the quotation duly completed and signed)

Ilame of items: Construction of Custom hiring centre shade under ABI Project

Sr. No.	Description	Qty	Unit	Rate	Plus GST	Total Amount including GST
1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:	8.00	SQM			
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level (a)1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	1,20	cum			
3	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement	12.12	cum			
4	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level (A)Mild steel and Medium Tensile steel bars	62.00	KG			
5	Centering and shuttering including strutting, propping etc. and removal of form work for :(A)Columns, piers, abutments, pillars, posts and struts	20.00	SQM			
6	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	7.00	сим	- 1-000 to 100 t		
7	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	336.00	kg			

Contd...6

9	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required (a) In stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required, all complete Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. (a) M.S. tube	55.00 1333.0 0	kg kg	
10	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should besupplied in single length upto 12 metre or as desired by Engineer in-charge. The sheet shall be fixed using self drilling /self tappingscrews of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost ofpurlins, rafters and trusses and including cutting to size and shape wherever required	174.85	sqm	
11	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete.(a) Ridges plain (500 - 600mm)	20.00	metr e	
Rupe	Total Rs.			

Date :.....



भाकृअनुप-प्याज एवं लह्सुनअनुसंधान निदेशालय

राजगुरुनगर,पुणे-४१०५०५महाराष्ट्र ICAR-DIRECTORATE OF ONION AND GARLIC RESEARCH



 $\label{eq:Rajgurunagar} Rajgurunagar, \ Pune-410\ 505, Maharashtra \\ \ Phone\ (02135)\ 222026,\ 222697,\ Fax\ (02135)\ 224056\ Email: \ director.dogr@icar.gov.in$

GST No. 27AAAAI1830P5ZF

Annexure-III

(On the Letter head of the Firm)

CERTIFICATE ABOUT NON BLACK LISTING

144/0	an t	ماماد ماماد	-1 -
lieroby cortify	on t that our company/firm has not been blackl	inted by any Covernment De	do
	Educational Institute(s) during the last five		раппен
OO VOITHINGIRE	- Ladoutonal motitate(s) during the last live	/Cais.	
Authorized s	ignatory of bidder with seal		
	-		
Name	:		
Designation:		_	
Place			
riace	:		
Date	:		
···			
Date	:	Name of Aut	horized
Signatory			
Place		Stamp & Sid	anoturo

Bid Securing Declaration form (To be given on company Letter Head)

To The Director, ICAR-Directorate of Onion & Garlic Research, Rajgurunagar, Pune-410 505

I/We, the undersigned, declare that:

I/We understand that, according to your conditions, bids must be supported by a Bid Securing Declaration.

I/We accept that I/We may be disqualified from bidding for any contract with you for a period of one year from the date of notification, if I am /we are in a breach of any obligation under the bid conditions, because I/We

- a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or
- b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validity (i) fail or reuse to execute the contract, if required, or (ii) fall or refuse to furnish the Performance Security, in accordance with the instructions to bidders.


I/We understand this Bid Securing Declaration shall cease to be valid if I am/we are not the Successful bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty days after the expiration of the validity of my/our bid.

igned: (insert signature of person whose name and capacity are shown) the capacity of (insert legal capacity of person signing the Bid Securing Declaration)			
Name:	(insert complete name	of person signing the Bid Securing Declaration)	
Duly authorized to sign th	e bid for an on behalf of	(insert complete name of bidder)	
Dated on	day of	(insert date of signing)	
Corporate seal (where ap	propriate)		
(Note: In case of a Joir Venture that submits the		uring Declaration must be in the name of all partners to the joint	



भाकृअनुप-प्याज एवं लह्सुनअनुसंधान निदेशालय

राजगुरुनगर,पुणे-४१०५०५महाराष्ट्र ICAR-DIRECTORATE OF ONION AND GARLIC RESEARCH





ANNEXURE -V

Name of Item: Construction of Custom hiring centre shade under ABI Project

CHECK LIST FOR ENCLOSED DOCUMENT

Sr.No.	Particulars	Yes/No	Page No.
1.	Firm's Registration No.		<u> </u>
2.	Copy of PAN / TAN No.		
3.	Copy of GST No.		
4.	Income Tax statement for the last three years		
5.	Financial Bid as per Annexure II		
6.	Certificate about Non Black Listing as per Annexure III		
7.	Bid Securing declaration form as per Annexure – IV		
8.	Bank details for payment through RTGS		

Please Note:-

Yes or Nomay be mentioned as per the documents enclosed. Failing which their bid will be treated as non responsive and rejected.

Signature of bidder and Seal